









Accessories					
	JBN5	JBN12	JBN18	JBN26	
					
Capacity	5L	12L	18L	26L	
	Replacement polycarbonate transparent lids*				
	AQL5	AQL12	AQL26	AQL26	
	Directs condensation away from immersed vessels, avoids contamination, reduces evaporation and saves energy				
	Stainless steel sloping lids*				
	LU6	LU14	LU28	LU28	
	Flat lids*				
	LF6 (2 ring sets)	LF14 (4 ring sets)	LF28 (6 ring sets)	LF28 (6 ring sets)	
	With ring sets of variable hole diameter to accommodate tall vessels whilst reducing evaporation				
	Polypropylene spheres* (packs per bath)				
	1 x PS20	1 x PS20	2 x PS20	2 x PS20	
	Useful alternative to a lid, minimises evaporation and heat loss whilst allowing easy access to vessels in the bath; particularly useful for tall vessels				
	Raised shelves – reversible, allows two shelf depths. h = shelf height above tank base (mm)				
		RS14H (h 40 or 78) shelf covers half area of JBN12	RS18H (h 40 or 135) shelf covers half area of JBN18	RS28H (h 45 or 135) shelf covers half area of JBN26	
	Racks** (no. per bath)				
	1 x J2	2 x J2	4 x J2	4 x J2	
	Choice of 8 variants to accommodate different tube diameters and microtubes (see below)				
	Replacement base trays				
	AQBT5	AQBT12	AQBT26	AQBT26	
	Required if flat-bottomed flasks are to be placed directly on the base of the bath and to promote thermal convection in the bath				
	Drain stopper				
	-	UWB-DS (pack of 5)	UWB-DS (pack of 5)	UWB-DS (pack of 5)	
	Recommended when using heat transfer beads, to prevent beads entering drain hole				

* lid or spheres recommended for use above 60°C

Unstirred water bath racks**					
J2 racks	Tube size Ø	Capacity	J2 racks	Tube size Ø	Capacity
J2-10	10 mm	84	J2-25	25 mm	18
J2-13	13 mm	55	J2-30	30 mm	12
J2-16	16 mm	36	J2-SE	0.5 ml	105
J2-19	19 mm	32	J2-LE	1.5 ml	65